Page: 002-006



Oil - Material Safety Data Sheet

Material Name: Bar & Chain Oil

ID; DEEREO0?

* * * Section 1 - Chemical Product and Company Identification * * *

Product Numbers: DD08530/718530 (6/1 GAL), 05356/714250 (12/1 QT), 05357/714251 (6/1 GAL), 777832 (6/1 GAL),

98664C/712326 (12/1 QT), 98665B:712327 (6/1 GAL), UP03213/718531 (12/1 QT), UP03214/718355 (6/1 GAL)

Chemical Name: Petroleum Distillate Mixture

Manufacturer Information

Specialty Oil Company

Phone 800-546-6227

Division of Pennzoil-Quaker State Company

2740 Valley View Drive

Emergency # 800-546-6040

Shreveport, LA 71108

* * Section 2 - Composition / Information on Ingredients * * *

CASH	Component	Percent
Not Available	Lube oil additive containing polyisobutylene in oil	2-3
64742-46-7	Patroleum distillates, hydrotreated middle	Rlend
64742-52-5	Petroleum distillates, hydrotreated heavy naphthenic	Blend

Component Information/Information on Non-Hazardous Components

The maximum percentage of the petroleum distillate and/or residual oil blend contained in this product is: 98% All mineral oils used in this product have been severely hydroticated and/or solvent refined. This product is considered not hazardous under 29 CFR 1910-1200 (Hazard Communication).

* * * Section 3 - Hazards Identification * * *

Finergency Overview

Product is an amber petroleum distillate mixture. Irritating and toxic vapors may be released upon combustion of product. Extinguish fire with carbon dioxide, dry chemical, foam or water fog. Oil mists may be tritating to the respiratory system and skin.

Hazard Statements

This product may be irritating to the eyes, respiratory system and skin. Pulmonary aspiration hazard if swallowed.

Potential Health Effects: Eyes

This product may cause unitation to the Lyes

Potential Health Effects: Skin

Prolonged and/or repeated skill contact with this product may cause utilition / dermatitis.

Potential Mealth Effects: Ingestion

No significant adverse effects are expected upon ingestion of the product. Ingestion of this product may cause naised, voluting and discribed. Small amounts of this product, if aspirated into the lungs, may cause mild to severe pulmonary injury, possibly death

Potential Health Effects: Inhulation

Low vapor pressure makes inhalation unlikely at standard temperatures and pressures. Inhalation of oil mists or filmes caucuse tritation of the nose, throat and upper respiratory tract. Repeated and prolonged overexposure to oil mists may result in droplet deposition, oil granuloina formation, inflammation and increased incidence of infection

HMIS Ratings: Health: 1 Fire: 1 Reactivity: 0 Pers. Prof : gloves/safety glasses

Hazard Scale. 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severo * = Chronic hazard

* * * Section 4 - First Aid Measures * * *

First Aid: Eyes

Flush eyes with large amounts of water for 15 minutes. Seek medical attention if eye tribition develops or persists.

First Aid: Skin

Remove contaminated clothing. For skin contact, wash immediately with soap and water. Get medical attention if skin disorder develops.

1

Page: 003-006

Material Safety Data Sheet

Material Name: Bar & Chain Oil

ID: DEERE007

First Aid: Ingestion

If the material is swallowed, seek immediate medical attention or advice -- Do not induce yourting,

First Aid: Inhalation

If affected, remove individual to fresh air. If the affected person is not breathing, apply artificial respiration. Seek medical attention if symptoms persist.

First Aid: Notes to Physician

Pulmonary aspiration hazard if swallowed; treat symptomatically.

* * * Section 5 - Fire Fighting Measures * * *

Flash Point: Not available

Method Used: Not available

Upper Flammable Limit (UFL): Not available

Lower Flummable Limit (LFL): Not available Flammablity Classification: Non-flammable

Print Date: 11/10/99

Auto Ignition: Not available Rate of Burning: Not available

General Fire Hazards

Product is a non-flammable petroleum distillate mixture. Mist or sprays may be flammable below the products normal flash point.

Hazardous Combustion Products

Combustion products include fumes, smoke, carbon monoxide, carbon dioxide and other low molecular weight hydrocarbons.

Extinguishing Media

Dry chemical, fourn, carbon dioxide, water fog. Use water to cool fire-exposed containers and to protect personnel. Direct water sprny or foam may cause frothing and spattering. If a leak or spill has not ignited, use water spray to disperse vapors and to flush spills away from exposure

Fire Fighting Equipment/Instructions

Firefighters should wear full-face, self contained breathing apparatuments of the protective clothing. Friefighters should avoid inhaling any combustion products

NFPA Ratings: Health: 1 Fire: 1 Reactivity: 0 Other:

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

* * * Section 6 - Accidental Release Measures * * *

Containment Procedures

Stop the flow of material of this is without risk

Clean-Up Procedures

Absorb with non-flammable suitable absorbent such as sand or earth. Scoop up used absorbent into drums or other appropriate container.

Evacuation Procedures

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Special Procedures

Eliminate all sources of ignition or flammables that may come into contact with a spill of this material. Surfaces may become slippery after spillage. Wear appropriate protective equipment and clothing during clean-up. Do not allow the spilled product to enter public drainage systems or open water courses.

* * * Section 7 - Handling and Storage * * *

Handling Procedures

Avoid prolonged or repeated skin contact with this material. Avoid the generation of oil mists. Wash thoroughly after handling. Use this product with adequate ventilation.

Storage Procedures

Issue Date 06/15/1999 Revision: 1.0000

Page: 004-006

Material Safety Data Sheet

ID: DEEREOO7 Material Name: Bat & Chain Oil

* * * Section 8 - Exposure Controls / Personal Protection * * *

Exposure Guidelines

A: General Product Information

If oil mists are generated, observe the OSHA exposure limit of 5 mg/m3; short term exposure limit of 10 mg/m3.

Br Component Exposure Limits

ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components

Engineering Controls

Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces. Additional area ventilation or local exhaust may be required to maintain air concentrations below recommended exposure limits.

PERSONAL PROTECTIVE EQUIPMENT

Personal Protective Equipment: Eyes/Face

Wear safety glasses. Wear chemical gaggles or faceshield if splash or mist occurs

Personal Protective Equipment: Skin

Use impervious gloves for prolonged contact. Wear oil-impurvious garments if contact is unavoidable.

Personal Protective Equipment: Respiratory

If mist is generated (heating, spraying) and engineering controls are not sufficient, wear approved organic vapor respirator

suitable for oil mist

Personal Protective Equipment: General

Use good hygiene when handling petroleum product. Launder contaminated clothing before reuse. Excessive nusting may

cause slippery floors - wear appropriate footwear. Bye wash fountains are a famounded.

* * * Section 9 - Physical & Chemical Properties * * *

Appearance: Amber Physical State: Liquid

Vapor Pressure: Not available Boiling Point: Not available Solubility (H2O): Not available

Viscosity: 7 48-7.92 cSt @ 100 °C; 66 5-

69 3 @ 40 °C

Odor: Not available

pH: Not available Vapor Density: Not available Melting Point: Not applicable Specific Gravity: Not available

Pour Point: 0 F (-18 °C)

* * * Section 10 - Chemical Stability & Reactivity Information * * *

Chemical Stability

Stable

Chemical Stability: Conditions to Avoid

Avoid formation of mists

Incompatibility

This product may react with strong oxidizing agents.

Hazardous Decomposition

Decomposition products include carbon dioxide, carbon monoxide and other low molecular weight hydrocarbons.

Hazardous Polymerization

Hazardous polymerization will not occur

** * Section 11 - Toxicological Information * * *

Acute Toxicity

A: Geneval Product Information

Issue Date 06/15/1999 Revision: 1,0000

Print Date: 11/10/99

Page 3 of 5

Page: UUD-UUD

Material Safety Data Sheet

Material Name: Bar & Chaio Oil

ID: DEFREOUT

No data available on the product as a whole. Based on similar materials, this product is expected to have a low order of acute oral and dermal toxicity, but minute amounts aspirated into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly death.

B: Component Analysis - LD50/LC50

No LD50/LC50's are available for this product's components.

Carcinogenicity

A: General Product Information

No data available on the product as a whole.

B: Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP

Enidemiology

No data available for product.

Neurotoxicity

No data available on this product as a whole.

Mutagementy

No data available on this product as a whole

Teratogenicity

No data available for this product as a whole.

Other Toxicological Information

This product contains a blend of petroleum distillates and residual oils, all of which have been solvent refined or severely hydrotreated. The pen oleum distribate and residual oil blend consists of one or more of the components identified by CAS Number in Section 2 Since these components vary with the availability of materials their presence is noted as "blend"

* * * Section 12 - Ecological Information * * *

Feotoxicity

No information is available on ecotoxicity of this product.

Environmental Fate

No information is available. Keep product out of sewers and waterways.

* * * Section 13 - Disposal Consuction

US EPA Waste Number & Descriptions

A. General Product Information

Product as shipped does not meet the definition or characteristics of a hazardous waste.

B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components

Disposal Instructions

Dispose of waste material according to Local, State, Federal, and Provincial Phylicineteal Regulations. Do not allow this material to drain into sewers/water supplies. Material should be recycled if possible.

* * * Section 14 - Transportation Information * * *

IIS DOT Information

Shipping Name: Not regulated as a hazardous material

Hazard Class: Not classified UN/NA #: Not classified Packing Group: Not classified Required Label(s): None Additional Info.: None

International Transportation Regulations

Not regulated as dangerous goods

Issue Datc. 06/15/1999 Revision: 1 0000

Print Date 11/10/99

Page: 006-006

Material Name: Bar & Chain Oil

ID: DEERE007

* * * Section 15 - Regulatory Information * *

US Federal Regulations

A: General Product Information

This product may be classified as an oil under Section 311 of the Clean Water Act, and under the Cil Pollution Act. Discharges of spills into or leading to surface waters that cause sheen must be reported to the National Response Center (1-800-424-8802)

B: Component Analysis

Note of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

State Regulations

A: General Product Information

Other state regulations may apply.

B: Component Analysis - State

None of this product's components are listed on the state lists from CA, FL, MA, MN, NI, or PA.

Other Regulations

A: General Product Information

No additional information

B: Component Analysis - Inventory

Composent	CAS#	TSCA	DSL	EINECS
Petroleum distillates, hydrotrented heavy naphthenic	64742-52-5	Yes	Yes	Yes
Petroleum distillates, hydrotrented middle	64742-46-7	Yes	Yes	Yes

C: Component Analysis - WHMIS IDL

No components are listed in the WHMIS IDL

* * * Section 16 - Other Information * * *

Other Information

This information is, to the first of Pennzoil-Quaker State Company's knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use

Key/Legend

N = No, Y = Yes; ppm - parts per million; ing/m3 = in:lligrams per cubic meter of air, ACGIH = American Conference of Governmental Industrial Hygienists; OSHA = Occupational Safety and Health Administration; TLV = Threshold Limit Value; NIOSH = National Institute of Occupational Safety and Health; NTF = National Toxicology Program; IARC = international Agency for Research on Cancer

MSDS History

Preparation Information: New MSDS 05/22/98

Contact: Donna Varner, Market Analyst

Contact Phone: (704) 587-2126

This is the end of MSDS # DEEREOO7